

**ASTRA MICROWAVE PRODUCTS LIMITED**

Regd. Office : ASTRA Towers, Survey No. 12(P), Kothaguda Post, Kondapur, Hitechcity, Hyderabad, Telangana, INDIA - 500084.
Tel : +91-40-30618000, 30618001. Fax : +91-40-30618048
E-mail : info@astramp.com, website : www.astramp.com
CIN : L29309TG1991PLC013203

April 27, 2018

To
The General Manager
Department of Corporate Relations
BSE Limited
Sir Phiroze Jeejeebhoy Towers,
Dalal Street, Fort,
Mumbai -400 001

To
The Vice President,
Listing Department
The National Stock Exchange of India Limited
Exchange Plaza
Bandra Kurla Complex, Bandra (East)
Mumbai 400 051

Scrip code: 532493

Scrip code: ASTRAMICRO

Dear sir,

Sub: Intimation in terms of Regulations 30 and 57(1) of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015 regarding payment of interest and part – principal amount (50% of the face value of NCD).

In accordance with Regulation 30 and 57(1) of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, we wish to inform you that the following payments being due on April 29, 2018 have been made to all the concerned debenture holders, as per details given below:

ISIN	Interest Frequency	Actual payment date	Part-Principal Amount (50% of the face value of NCD)
INE386C07018	Annual	April 27, 2018	Yes

You are requested to kindly take the same on your records.

Thanking you,

Yours faithfully,
For Astra Microwave Products Ltd

T. Anjaneyulu

T. Anjaneyulu
Dy.G.M - Company Secretary



Works :

Unit 1 : Plot No. 12, ANRICH Industrial Estate, Bollaram, Medak Dist., T.S. - 502325

Unit 2 : Plot No. 56A, ANRICH Industrial Estate, Bollaram, Medak Dist., T.S. - 502325

Unit 3 : Sy. No. 1/1, Imarath Kancha, Raviryala (Vil), Maheshwaram (Mdl) R.R. Dist., T.S. - 500 005

Unit 4 : Sy. No. 1/1, Plot No. 18 to 21, Imarath Kancha, Hardware Park, Raviryala (V), Maheshwaram (M), R.R. Dist, T.S. - 500005

R&D Centre : Y.D.Archade, No. 327, 4th Cross, Opp: Sivaparvathi Kalyan Mantapa, OMBR Layout, Banaswadi, Bangalore, Karnataka - 560043.

